


SECUNORM PROFI LIGHT

43 GRAMS THAT WILL LIGHTEN YOUR WORKLOAD.



ENJOY SAFETY
MADE IN SOLINGEN

martor

SECUNORM PROFI LIGHT

NO. 123001



Original size



No abrasion

The SECUNORM PROFI LIGHT is made of a particularly abrasion resistant plastic. Stability and durability are the result of thoughtful design. Award-winning design, as a matter of fact.



At the press of a button

Changing the blade is simple. Press the blade change button and pull the plastic inset out of the cutter body. Change the blade, job done!



Double-sided slider

With the right hand? With the left hand? There's no need to ask this question! The SECUNORM PROFI LIGHT is fitted with a slider that's accessible from both sides. Choose for yourself!



Ergonomically light

The SECUNORM PROFI LIGHT is ergonomically shaped, as are all members of the PROFI family. It is however the lightest of the group. With its 43 grams, this cutter is also ergonomically light, making high cutting frequencies easy.



Double-sided blade

Before you need to change the quality blade, you have the chance to turn it over once. Usage time of the blade is doubled and fatigue is held at bay: with a simple flip of the blade, your SECUNORM PROFI LIGHT will cut like new again.

The particularly light heavyweight.

The SECUNORM PROFI LIGHT is a PROFI off-spring. With its plastic body, it is lighter than the others by several grams. But as far as cutting ability is concerned, it's a heavyweight. You can use this cutter for almost all purposes. A relatively large blade length makes it suitable for cutting all common materials. For an indefinite number of cuts. And for special requirements, considering the handle can accommodate various types of blades.

PRODUCT FEATURES

Technical features

	High safety		Tool-less blade change
	Abrasion resistant		Very ergonomic
	2-times usable blade		Extended blade length
	Cutting depth		For right and left hander
	Lanyard hole		Printable for promotional purposes

Main cutting materials

	Cardboard: up to 2-ply		Wrapping, stretch, and shrink foil
	Plastic strapping band		Tape
	Bagged goods		Layers of foil or paper

Installed blade






Optional blade

	NO. 5233 0.63 mm, 1-sided ground-edge
	NO. 610 0.63 mm, stainless
	NO. 8852 0.63 mm, TiN
	NO. 85233 0.63 mm, 1-sided ground-edge, TiN
	NO. 65232 0.63 mm, rounded blade tips, deep-edged
	NO. 56 0.63 mm
	NO. 5634 0.63 mm, rounded blade tips


Certificates and awards



Application



Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM PROFI LIGHT guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. The blade can thus withdraw back into the handle immediately after leaving the material being cut.

YOU CAN FEEL THE QUALITY.

SECUNORM PROFI LIGHT

- › Easy and safe blade change
- › Automatic blade retraction
- › Abrasion resistant plastic
- › Super lightweight: 43 g
- › TÜV-certified

PRODUCT DETAILS

Order No.	NO. 123001.02
Packaging unit	1 in single unit box (10 in multipack)
Knife size (L x W x H)	140 x 15.3 x 30 mm
Main material	Glass fibre reinforced plastic
Weight	43.3 g
Cutting depth	15.5 mm
Spare blade Packaging unit Size (L x W x Thickness)	NO. 5232.70 (10 in dispenser) 53 x 19 x 0.63 mm
Certified	GS certificate NO. S 60108554

Accessories

BELT HOLSTER S WITH CLIP		NO. 9920
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



Still have questions? You can reach our service department on [+49 212 73870-0](tel:+49212738700)